L Number	Hits	Search Text	DB	Time stamp
_	2	("6543911").PN.	USPAT; US-PGPUB; EPO; JPO;	2004/04/06 14:13
-	15	"3852584" "3875561" "4337759" "5103381" "5105347" "5629996" "5785410" "5926320" "5929788"	DERWENT USPAT	2003/11/14 15:55
_	751	"5951144" "6028535" "6048083").PN. (362/307).CCLS.	USPAT; US-PGPUB; EPO; JPO;	2003/11/14 17:17
-	998	(362/311).CCLS.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2003/11/14
_	1301	(362/296.ccls.and(lightadjemittingadjdiode	US-PGPUB; EPO; JPO;	2004/03/24
_	37	((362/296.ccls.and(lightadjemittingadjdiod and (light adj emitting adj diode)	US-PGPUB; EPO; JPO;	2004/03/24 17:45
-	32	362/543-547.ccls. and 362/507.ccls.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25 08:32
-	89	362/543-547.ccls. and parabolic near2 reflector	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25 08:59
_	310	362/241.ccls.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25
_ :	323	(362/327).CCLS.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25
-	759	(362/307).ccls.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25
-	186	(362/326).CCLS.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25 09:46
-	1342	(362/294).CCLS.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25
-	121042	(light adj emitting adj diode) "led" near2 planar near2 light near2 source.ti.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25 16:50
_	6	((light adj emitting adj diode) "led") near2 planar near2 light near2 source.ti.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25 16:53
-	349	362/245	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/03/25 16:53
-	121	362/245 and (light adj emitting adj diode)	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/25

	27	("1278026" "1618425" "4163883" "4441783" "4630177" "4631642" "4767172" "4835666" "4929866" "4935665" "5136483" "5155666" "5174649" "5268823" "5375043"	USPAT	2004/03/25 17:05
		"5471371" "5486984" "5488545" "5678914" "5704709" "5752760" "5779341" "5988842" "6079854" "6129448" "6193383" "6241358").PN.	;	
-	1088		USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26
-	39	359/494,486,490,483.ccls. and polariz\$3 and phase near2 retarder	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26
_	110	359/494,486,490,483.ccls. and 359/485.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26
-	43	359/494,486,490,483.ccls. and (circular and linear) near2 polariz\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26 11:19
-	38	(359/494,486,490,483.ccls. and (circular and linear) near2 polariz\$3) and (phase near retarder plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/26
_	2	("6641284").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/28
	8	("5418384" "5813753" "5887968" "6045240" "6158882" "6257737" "6320182" "6481130").PN.	USPAT	2004/03/28 14:26
_	20	planar near3 reflect\$3 near4 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/28
-	2260	362/240,245,294,373.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/28
-	. 281	362/240,245,294,373.ccls. and light adjemitting adj diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/28 14:40
-	1625	(257/98).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/28 15:39
	493	(257/100).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/28 15:39
-	2	("5471371").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/29

	, , , , , , , , , , , , , , , , , , , 			
	39	("1419482" "1589664" "1815751"	USPAT	2004/03/29
	<u>'</u>	"1995012" "2198014" "2229693"		11:45
	i ·	"3900727" "4241382" "4389698"		
		"4408266" "4417300" "4432039"		
		"4456948" "4463410" "4494176"		
1		"4517631" "4523262" "4536834"		
		"4556928" "4644455" "4654758"		
		"4740871" "4755918" "4794493"		
1	•	"4803601" "4811172" "4868718"		
		"4868723" "4883333" "4916592"		
		"4929866" "4956759" "5001609"		
		"5058985" "5128848" "5174649"		
	·	"5241457" "5278731" "5321586").PN.		
_	l 0	("planarnear2semiconduc\$3near5parabol\$3ref	lesearnear5h	e2e00014e/e0042/e01601k").PN
			US-PGPUB;	11:01
			EPO; JPO;	
	· ·		DERWENT	
-	0	planar near3 semiconduct\$3 near5	USPAT;	2004/04/06
}		parabol\$4 near2 reflect\$3 and heat near2	US-PGPUB;	11:04
		sink	EPO; JPO;	
			DERWENT	
i -	952	(planar near3 semiconduct\$3).ti.	USPAT;	2004/04/06
		12	US-PGPUB;	11:06
	·		EPO; JPO;	
			DERWENT	
_	0	((planar near3 semiconduct\$3).ti.) and	USPAT;	2004/04/06
	١	parabolic near2 reflector	US-PGPUB;	11:06
		Parasorio nearz refrector	EPO; JPO;	
	j :		DERWENT	
_	0	((planar near3 semiconduct\$3).ti.) and	USPAT;	2004/04/06
-	"	parabolic near2 reflect\$3 near2 surface	US-PGPUB;	11:06
	ļ :	parabolic hearz reflect\$3 hearz sufface	i i	11:06
			EPO; JPO;	
	6636	(mlanan mang) a-mi	DERWENT	3004/04/06
-	6616	(planar near3 semiconduct\$3)	USPAT;	2004/04/06
1	1		US-PGPUB;	11:06
			EPO; JPO;	ŀ
		1/-1	DERWENT	2004/04/05
-	58	((planar near3 semiconduct\$3)) and	USPAT;	2004/04/06
		parabolic near2 reflector	US-PGPUB;	11:07
		*	EPO; JPO;	
	_	/#2000007## #2014706# #111577	DERWENT	0004/04/05
-	5	[·	USPAT	2004/04/06
	_	"4733335" "5694902").PN.		11:13
-	2	("6527411").PN.	USPAT;	2004/04/06
1			US-PGPUB;	14:18
1			EPO; JPO;	
1			DERWENT	0004/01/05
1 -	27	•	USPAT	2004/04/06
1		"4441783" "4630177" "4631642"		14:14
		"4767172" "4835666" "4929866"		
		"4935665" "5136483" "5155666"		
1		"5174649" "5268823" "5375043"		
1		"5471371" "5486984" "5488545"		
1		"5678914" "5704709" "5752760"		
1		"5779341" "5988842" "6079854"		
1		"6129448" "6193383" "6241358").PN.		
-	148	(362/245).CCLS.	USPAT;	2004/04/06
1	Į.		US-PGPUB;	14:33
1			EPO; JPO;	
1			DERWENT	
-	396	(362/247).CCLS.	USPAT;	2004/04/06
1			US-PGPUB;	14:48
1	1		EPO; JPO;	
			DERWENT	
-	366	(362/545).CCLS.	USPAT;	2004/04/06
1			US-PGPUB;	15:34
	-		EPO; JPO;	
	ŀ	·;	DERWENT	
_	2260	 362/465.ccls. and (light adj emitting adj	USPAT;	2004/04/06
	2200	diode) or (light adj emitting adj	US-PGPUB;	17:43
		semiconductor)	EPO; JPO;	1/.35
		Semi Conductor /	DERWENT	
L	L	<u> </u>	DEKMENT	L

-	9	(362/465.ccls. and (light adj emitting adj diode) or (light adj emitting adj semiconductor)) and headlight	USPAT; US-PGPUB; EPO; JPO;	2004/04/06
-	4768	((light adj emitting adj diode) or (light adj emitting adj semiconductor) same (low near beam) or (high near beam)) and	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/04/06
-	136398	362/\$.ccls. (light adj emitting adj diode) or (light adj emitting adj semiconductor) same (low near beam) or (high near beam)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/04/06
-	121417	(light adj emitting adj diode) or (light adj emitting adj semiconductor) same (low adj beam) and (high adj beam)	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 17:49
-	3	((light adj emitting adj diode) same (low high) near3 beam) and 315/\$.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/04/06 17:51
_	339	(light adj emitting adj diode) same (low high) near3 beam	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/04/06 17:59
-	11	(light adj emitting adj diode) near3 headlight .ti.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/04/06 18:00
-	. 2	("5471371").PN.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/04/07 09:44
_	39	("1419482" "1589664" "1815751" "1995012" "2198014" "2229693" "3900727" "4241382" "4389698"	DERWENT	2004/04/07
		"4408266" "4417300" "4432039" "4456948" "4463410" "4494176" "4517631" "4523262" "4536834" "4556928" "4644455" "4654758" "4740871" "4755918" "4794493" "4803601" "4811172" "4868718" "4868723" "4883333" "4916592" "4929866" "4956759" "5001609" "5058985" "5128848" "5174649" "5241457" "5278731" "5321586").PN.		
	2	("6457416").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/07
-	2	("6547416").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/07 09:52
-	8	("4964025" "5255171" "5723868" "5810463" "5921652" "6191872" "6200002" "6257737").PN.	USPAT	2004/04/07 09:45
-	2	"20030173575"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/07 09:54
_	609	(313/512).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/07 10:10
-	2	("4767172").PN.	USPAT; US-PGPUB; EPO; JPO;	2004/04/07 10:13
	6	("1977689" "2215900" "2683394" "3330190" "4255042" "4257672").PN.	DERWENT USPAT	2004/04/07

-	1048821		USPAT;	2004/04/07
		near4 curv\$2 reflect\$3	US-PGPUB;	10:15
			EPO; JPO;	
İ			DERWENT]
-	17551		USPAT;	2004/04/07
		near4 curv\$2 reflect\$3) and 362/\$.ccls.	US-PGPUB;	10:15
			EPO; JPO;	1
			DERWENT	
-	0		USPAT;	2004/04/07
		curv\$2 near2 reflect\$3	US-PGPUB;	10:17
			EPO; JPO;	
	_		DERWENT	
-	0	F =	USPAT;	2004/04/07
		curv\$2 near3 reflect\$3	US-PGPUB;	10:17
,			EPO; JPO;	
	-	(-1	DERWENT	2004/04/07
-	5	, .F , .	USPAT;	2004/04/07
		parabolic near2 reflector	US-PGPUB;	10:18
	1		EPO; JPO;	. 1
	14	/ml	DERWENT	2004/04/07
-	14	(planar near3 surface near4 diode) and 362/\$.ccls.	USPAT; US-PGPUB;	10:20
		3,02/\$.0018.		10:20
		·	EPO; JPO; DERWENT	1
1_	226	planar near3 surface near4 diode	USPAT;	2004/04/07
1 -	226	pranar nears surrace near4 drode	US-PGPUB;	10:23
			EPO; JPO;	10.23
			DERWENT	
l_	2	("6682211").PN.	USPAT;	2004/04/07
-		(0002211).PN.	US-PGPUB;	16:35
			EPO; JPO;	10,33
			DERWENT	
l_	959	(362/226).CCLS.	USPAT;	2004/04/07
) 339	(302/220).CCL3.	US-PGPUB;	17:20
1			EPO; JPO;	1 17.20
			DERWENT	
_ '	20	(martin near paul.in.) and light adj	USPAT;	2004/04/07
1		emitting adj diode	US-PGPUB;	17:43
		conferring day droad	EPO; JPO;	
			DERWENT	
l -	2	(martin near paul.in.) and 362/\$.ccls.	USPAT;	2004/04/07
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	17:25
			EPO; JPO;	
			DERWENT	
- ·	795	martin near paul.in.	USPAT;	2004/04/07
		•	US-PGPUB;	17:26
1			EPO; JPO;	
			DERWENT	,]
-	2	("5613751").PN.	USPAT;	2004/04/08
			US-PGPUB;	07:39
			EPO; JPO;	·
	1		DERWENT	
-	1	,	USPAT;	2004/04/08
		near4 mount\$3 near4 lamp	US-PGPUB;	09:53
		·	EPO; JPO;	
1			DERWENT	
-	2	, , <u>.</u>	USPAT;	2004/04/08
		near4 mount\$3 near4 lamp	US-PGPUB;	09:54
			EPO; JPO;	
]		·	DERWENT	
-	3	monolithic\$5 same (chip "led" diode die)	USPAT;	2004/04/08
1		same mount\$3 near4 lamp	US-PGPUB;	09:56
1			EPO; JPO;	
İ			DERWENT	1
-	101	monolithic\$5 same (chip "led" diode die)	USPAT;	2004/04/08
l .		same lamp	US-PGPUB;	11:30
1			EPO; JPO;	
		5,5, 4	DERWENT	1 0004/01/00
] -	5025	monolithic\$5 same (chip "led" diode die)	USPAT;	2004/04/08
1 .		same semiconductor	US-PGPUB;	11:31
			EPO; JPO;	, ,
i	1	1	DERWENT	1.

-	286	(monolithic\$5 same (chip "led" diode die)	USPAT;	2004/04/08
		same semiconductor) and lamp	US-PGPUB;	11:31
		•	EPO; JPO;	
			DERWENT	
-	12	(("6280071") or ("6210028") or	USPAT;	2004/04/08
		("6179456") or ("6086231") or ("6411022")	US-PGPUB;	16:17
*		or ("6406173")).PN.	EPO; JPO;	
			DERWENT	
_	289	(362/516).CCLS.	USPAT;	2004/04/08
			US-PGPUB;	16:17
			EPO; JPO;	
			DERWENT	
-	2	("6280071").PN.	USPAT;	2004/04/14
			US-PGPUB;	15:49
			EPO; JPO;	ļ
			DERWENT	
-	12	(("6280071") or ("6210028") or	USPAT;	2004/04/14
		("6179456") or ("6086231") or ("6411022")	US-PGPUB;	16:19
		or ("6406173")).PN.	EPO; JPO;	
			DERWENT	
_	8	(("6170963") or ("6007209") or	USPAT;	2004/04/14
		("5136483") or ("6547416")).PN.	US-PGPUB;	16:20
	ļ.	· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
	ļ		DERWENT	ĺ
~	366	362/249 and 362/800.ccls.	USPAT;	2004/04/15
		• • • • • • • • • • • • • • • • • • • •	US-PGPUB;	10:46
]		EPO; JPO;	
			DERWENT	
_	187	362/249.ccls. and 362/800.ccls.	USPAT;	2004/04/15
		002,21000200 41114 514,000,000	US-PGPUB;	10:46
	1		EPO; JPO;	
		_	DERWENT	
_	96	(362/249.ccls. and 362/800.ccls.) and	USPAT;	2004/04/15
		reflect\$3	US-PGPUB;	11:14
		101100070	EPO; JPO;	
			DERWENT	
_	2	"6527411"	USPAT;	2004/04/15
	-	0027111	US-PGPUB;	16:08
			EPO; JPO;	
. *	· ·	·	DERWENT	ł l
_	27	("1278026" "1618425" "4163883"	USPAT	2004/04/15
		"4441783" "4630177" "4631642"		11:15
'		"4767172" "4835666" "4929866"		
		"4935665" "5136483" "5155666"		
		"5174649" "5268823" "5375043"		
		"5471371" "5486984" "5488545"		
		"5678914" "5704709" "5752760"		
		"5779341" "5988842" "6079854"		·
		"6129448" "6193383" "6241358").PN.		
_	141	resin near4 mold\$3 same reflective near2	USPAT;	2004/04/15
		layer	US-PGPUB;	16:11
		•	EPO; JPO;	
			DERWENT	
_	5	(resin near4 mold\$3 same reflective near2	USPAT;	2004/04/15
		layer) and 362/\$.ccls.	US-PGPUB;	16:11
			EPO; JPO;	1
			DERWENT	1
_	113	(resin near4 mold\$3 same reflective near2	USPAT;	2004/04/15
		layer) and method	US-PGPUB;	16:11
		,	EPO; JPO;	
			DERWENT	
_	24	resin near4 mold\$3 same reflective near2	USPAT;	2004/04/15
	- 2	layer same method	US-PGPUB;	16:16
			EPO; JPO;	
			DERWENT	
_	0	transmissive near3 encapsul\$4 near5	USPAT;	2004/04/15
		reflective near2 (layer film) and diode	US-PGPUB;	16:19
			EPO; JPO;	e ·
	1		DERWENT	
	1	L		

-	5	transmissive near3 encapsul\$4 near5	USPAT;	2004/04/15
		reflective	US-PGPUB;	16:38
			EPO; JPO;	
			DERWENT	
-	11	362/327.ccls. and 362/800.ccls.	USPAT;	2004/04/15
			US-PGPUB;	16:54
1			EPO; JPO;	
1			DERWENT	
-	613	(313/512).CCLS.	USPAT;	2004/04/15
			US-PGPUB;	16:56
			EPO; JPO;	:
			DERWENT	
	2	("5483917").PN.	USPAT;	2004/04/16
			US-PGPUB;	09:24
			EPO; JPO;	
	_		DERWENT	0004/04/75
-	9		USPAT	2004/04/16
		"3237330" "3502007" "4645168"		09:24
		"5207175" "5267523" "5363792").PN.		
-	3724	362/234-247,326-328.ccls.	USPAT;	2004/10/12
			US-PGPUB;	10:53
		·	EPO; JPO;	
	45455	200/024 047 000 000 7	DERWENT	0004/10/10
-	1764708	362/234-247,326-328.ccls. and (light adj	USPAT;	2004/10/12
		emitting adj diode) or semiconductor or	US-PGPUB;	10:54
		"led"	EPO; JPO;	
	722	 362/234-247,326-328.ccls. and (light adj	DERWENT USPAT;	2004/10/12
_	739		US-PGPUB;	11:15
		emitting adj diode)	EPO; JPO;	11.13
			DERWENT	
ľ	30	(362/234-247,326-328.ccls. and (light adj	USPAT;	2004/10/12
-] 30	emitting adj diode)) and 362/294.ccls.	US-PGPUB;	10:54
1		l emitting adj diode, , and 302/294.ccis.	EPO; JPO;	10.54
			DERWENT	
	553	362/234-247,326-328.ccls. and (light adj	USPAT;	2004/10/12
1] 333	emitting adj diode) and reflect\$3	US-PGPUB;	11:15
		cmreeing day drode, and refreeeve	EPO; JPO;	11111
			DERWENT	
1 _	70	362/234-247,326-328.ccls. and (light adj	USPAT;	2004/10/12
		emitting adj diode) and reflect\$3 near5	US-PGPUB;	12:22
		concave	EPO; JPO;	
			DERWENT	
-	63	"5136483"	USPAT;	2004/10/12
			US-PGPUB;	13:38
			EPO; JPO;	
1			DERWENT	
-	2	"2002118548"	USPAT;	2004/10/12
1	ĺ		US-PGPUB;	13:39
1			EPO; JPO;	
			DERWENT	
-	0	"2002118548"	US-PGPUB	2004/10/12
				13:39
-	2	("2002118548").PN.	USPAT;	2004/10/12
			US-PGPUB;	13:41
			EPO; JPO;	
			DERWENT	0004/10/10
_	0	("2002118548").PN.	US-PGPUB	2004/10/12
	-	/2002/110540V ggz 5	HG BCBUB	13:41
-	0	(2002/118548).CCLS.	US-PGPUB	2004/10/12 13:41
	0	2002/110549	USPAT;	2004/10/12
-	1	2002/118548	US-PGPUB;	13:41
			EPO; JPO;	15.71
			DERWENT	
1_	٥ ا	2002/118548.pn.	USPAT;	2004/10/12
			US-PGPUB;	13:42
	1		EPO; JPO;	
	1		DERWENT	
I .	1			t

-	2	2002118548.pn.	USPAT;	2004/10/12
			US-PGPUB;	15:42
ŀ			EPO; JPO;	
			DERWENT	
-	2	"6641284"·	USPAT;	2004/10/12
			US-PGPUB;	15:42
			EPO; JPO;	
			DERWENT	
-	8	("5418384" "5813753" "5887968"	USPAT	2004/10/12
		"6045240" "6158882" "6257737"		15:42
		"6320182" "6481130").PN.		